DELL Technologies



Powerful single-threaded performance

Dell Pro Max Tower T2

Next-level professional graphics
Up to Nvidia RTX™ 6000 Blackwell graphics

Exceptional performance
Features Intel® Core™ Ultra processors with a dedicated NPU, allowing apps using AI to run faster and smoother.

Scalable, 32L design
Top single-threaded performance, ideal for professionals who prioritize power over space efficiency.

Enhanced power
Supporting 125W CPU running at 250W with Unlimited Turbo Duration.



Optimize your performance
Up to 128GB DDR5 memory with ECC options, up to 12TB of SSD, up to 24TB of HDD storage.

Stay connected
Up to Wi-Fi 7, and up to 2 Ethernet connections.

Streamline your setup
Optional module, featuring up to 8 different port options in a unified design for increased versatility.

Easily manageable commercial PCs
Helps your IT Admins save time, money, and resources when managing a fleet of PCs.

More expandability
Four PCIe slots and up to 1500W power supply options.

Recycled materials
Designed with post-consumer recycled plastic, closed loop ITE derived plastic and recycled ocean-bound plastic.

Peace of mind reliability
Tested and certified by Independent Software Vendors to ensure industry leading software run reliably and with the best possible performance.

Keep your AI PC running smoothly
Reliable Memory Technology Pro works with Error Correction Code (ECC) memory to identify bad memory sectors and map them out, so they are not accessed.


Improve cyber resilience with the World's Most Secure Commercial AI PCs[1]:


- Indicators of Attack and off-host BIOS/firmware verification to detect tampering at the device-level, validated by Principled Technologies.
- PC telemetry integrates with industry-leading software to improve fleet-wide security.
- SafeID, unique hardware-based security for protecting end-user credentials.
- Secured Component Verification to help ensure PCs are secure from factory to first boot.

1 Based on Dell internal analysis, October 2024. Applicable to PCs on Intel processors. Not all features available with all PCs. Additional purchase required for some features. Validated by Principled Technologies. A comparison of security features, April 2024.

XE platforms provide extended transitions and stability for OEM Solutions customers. For more information, visit https://www.dell.com/en-us/lp/dt/oem-solutions.

Ports & Slots





1 Power Button
2 Global headset jack
3 USB 3.2 Gen 1 (5Gbps)
4 USB 3.2 Gen 1 (5Gbps) with PowerShare
5 USB 3.2 Gen 2 (10Gbps) Type-C
6 USB 3.2 Gen 2x2 (20Gbps) Type-C with PowerShare

7 Power Connector
8 (2) DisplayPort 1.4a HBR3
9 USB 3.2 Gen 2x2 (20Gbps) Type-C
10 Optional port module (TBT4 (40Gbps) + USB-C (10Gbps) data , DP alt-mode Type-C 10Gbps), HDMI 2.1, DP 2.1, 5Gbe LAN, 2x USB-A 3.2 (10Gbps), VGA, LC Fiber optic port)
11 Thunderbolt port
12 (2) USB 2.0 (480Mbps) ports with SmartPower
13 (2) USB 3.2 Gen 2 (10Gbps)
14 RJ45 (1GbE) Ethernet



Sustainable innovation

Built with recycled materials

Designed with up to 46% recycled plastic including post-consumer recycled plastic, closed loop ITE derived plastic and 13% recycled ocean-bound plastic.[1]

Packaging with purpose

Ships in packaging with 100% recycled or renewable materials[2]

Raising environmental standards

This product is certified ENERGY STAR®, registered EPEAT Gold with Climate+ and carries the latest TCO designation. Meaning it meets key sustainability criteria for renewable energy use, safe substances and circularity.[3]

Seamlessly transition from old to new technology


We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.
Asset Recovery Services >

Simplify IT

Our most secure[1] and most manageable[4] offerings make IT management a breeze

World's Most Secure Commercial PCs[1]

According to Principled Technologies, no PC manufacturer offers the BIOS-level visibility Dell does.


A Principled Technologies report: In-depth research. Real-world value.

A comparison of security features in Dell, HP, and Lenovo PC systems

Approach

Dell™ commissioned Principled Technologies to investigate 10 security features in the PC security and system management space:

- Support for monitoring solutions
- BIOS security and protection features
  - Platform integrity validation
  - Device integrity validation via off-site measurements
  - Component integrity validation for Intel® Management Engine (ME) via off-site measurements
  - BIOS image capture for analysis
  - Built-in hardware cache for monitoring BIOS changes with security information and event management (SIEM) integration
- Microsoft Intune management
  - BIOS setting management integrations for Intune
  - BIOS access management security enhancements for Intune

SECURITY

Improve fleet-wide security with multiple layers of defense.

Reduce the attack surface and enhance long-term cyber resilience with Dell Trusted Workspace

- Be secure from first boot with rigorous supply chain controls.
- Maintain BIOS integrity with deep, firmware-level visibility.
- Protect end-user identity from malware that looks to steal credentials.
- Enrich OS-level data with PC telemetry to speed detection, response and remediation.
- Layer on advanced threat protection from our ecosystem of best-of-breed software partners.



Shrink the IT-security gap with an integrated, AI-enabled solution

Explore hardware-assisted security with Dell, Intel & CrowdStrike.

Learn More ›

MANAGEABILITY

Manage your fleet of PCs - reliably and easily

Help secure and optimize your endpoints and deliver end-user productivity with Dell Manageability Solutions

With **Dell Management Portal,** you can manage Dell PCs, over the cloud, in conjunction with Microsoft Intune.
Dell Management Portal >

Update and secure your fleet of Dell PCs, with one application – **Dell Client Device Manager.**[5]

Dell Trusted Update Experience makes it simple to update endpoints with the latest BIOS and driver versions. Dell is the only Top-5 PC vendor that:

Publishes[2] a device drivers and downloads release schedule:

IT Admins can deploy fleet-wide device updates on a predictable timeline.

Learn More ›

Dell has the industry's first:[5]

Partner Portal accessible in Microsoft Intune, with fleet-wide BIOS password access capability and Enterprise application access and publication capabilities

Enterprise application with modular update and security deployment capabilities, within the Dell Partner Portal, accessible via Microsoft Intune

Binary Large Object (BLOB) package-based solution, for endpoint BIOS settings configuration, using Microsoft Intune

Hardware OEM systems management solution to integrate with Intel vPro

Simplify PC refresh with Dell Services

Enabling every step of the PC lifecycle

Dell Technologies APEX

1st


and most comprehensive[1]

As-a-service portfolio that spans from multi-cloud to client devices. Experience the flexibility to transform your IT and deploy the latest technologies at predictable costs.

Dell APEX PC-as-a-Service

Fully customizable monthly subscription that can include PCs, peripherals, software and services with no upfront investment.

Dell APEX PC-as-a-Service (PCAAS) >



ProDeploy Client Suite

PC refresh starts with getting new devices in the hands of your end-users. Dell ProDeploy Suite streamlines operations and increases productivity with configured PCs that are ready to use on day one with dynamic cloud-based provisioning and imaging.

When transitioning from old to new technology, ProDeploy Plus includes the ability to securely erase sensitive end-user data with sophisticated tools to sanitize devices and includes Asset Recovery Services for responsible retirement.

Dell ProDeploy Client Suite >

Dell Premier

324%

ROI over 3 years[5]

Modernize IT purchasing by shopping your catalog in a tailored online solution. Gain control over the entire IT ecosystem to cut costs, standardize ordering, access analytics and more.

Dell Premier >

Asset Recovery Services

2.8B

Pounds of electronics recovered through all recovery programs since 2007[2]

Let Dell help you securely and responsibly retire your old IT equipment - regardless of brand – to allow for a seamless transition from old to new technology, while protecting both your business and the planet.

Asset Recovery Services >

ProSupport Suite for PCs

ProSupport Suite is more than a 24/7 break-fix solution, it's a set of tools that automate and optimize your environment with little to no human intervention or end-user disruption.

Select from a robust library of Dell-authored scripts that correct company-wide issues quickly, minimizing remediation times and maintaining peak system performance. ProSupport Suite provides telemetry-driven data to arm IT with insights and make targeted updates, all controlled from a single dashboard.

ProSupport Suite for PCs >

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER	Dell Pro Max Tower T2, FCT2250
PROCESSOR[1]	Intel® Core™ Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 3.4 GHz to 5.0 GHz, 65W) Intel® Core™ Ultra 5 245 (24 MB cache, 14 cores, 14 threads, 3.5 GHz to 5.1 GHz, 65W) Intel® Core™ Ultra 5 245K (24 MB cache, 14 cores, 14 threads, 4.2 GHz to 5.2 GHz, 125W) Intel® Core™ Ultra 7 265 (30 MB cache, 20 cores, 20 threads, 2.4 GHz to 5.3 GHz, 65W) Intel® Core™ Ultra 7 265K (30 MB cache, 20 cores, 20 threads, 3.9 GHz to 5.5 GHz, 125W) Intel® Core™ Ultra 9 285 (36 MB cache, 24 cores, 24 threads, 2.5 GHz to 5.6 GHz, 65W) Intel® Core™ Ultra 9 285K (36 MB cache, 24 cores, 24 threads, 3.7 GHz to 5.7 GHz, 125W)
OPERATING SYSTEM[1]	Windows 11 Home Windows 11 Pro Windows 11 Pro National Academic Windows 11 Enterprise Ubuntu® Linux® 24.04 LTS
MEMORY[1,2,3]	8 GB: 1 x 8 GB, DDR5, 5600 MT/s, Non-ECC 16 GB: 2 x 8 GB, DDR5, 5600 MT/s, Non-ECC 16 GB: 1 x 16 GB, DDR5, 5600 MT/s, Non-ECC 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, Non-ECC 32 GB: 4 x 8 GB, DDR5, 4800 MT/s, Non-ECC 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, Non-ECC 64 GB: 4 x 16 GB, DDR5, 4800 MT/s, Non-ECC 128 GB: 4 x 32 GB, DDR5, 4400 MT/s, Non-ECC 16 GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, ECC 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, ECC 64 GB: 4 x 16 GB, DDR5, 4800 MT/s, ECC 128 GB: 4 x 32 GB, DDR5, 4400 MT/s, ECC
PRIMARY HARD DISK DRIVE[1,5]	**Solid-state drives** 256 GB, M.2 2230, PCIe NVMe Gen4, SSD, Class 35 512 GB, M.2 2280, PCIe NVMe Gen4 x4, SSD, Self-Encrypting Opal 2.0, Class 40 1 TB, M.2 2280, PCIe NVMe Gen4 x4, SSD, Self-Encrypting Opal 2.0, Class 40 2 TB, M.2 2280, PCIe NVMe Gen4 x4, SSD, Self-Encrypting Opal 2.0, Class 40 4 TB, M.2 2280, PCIe NVMe Gen4 x4, SSDSelf-Encrypting Opal 2.0, Class 40 1 TB, M.2 2280, PCIe NVMe Gen5 x4, SSD, Self-Encrypting, Opal 2.0, FIPS 2 TB, M.2 2280, PCIe NVMe Gen5 x4, SSD, Self-Encrypting, Opal 2.0, FIPS **Hard drives** 4 TB, 3.5-inch, 5400 RPM, SATA, HDD 1 TB, 3.5-inch,7200 RPM, SATA, HDD 2 TB, 3.5-inch, 7200 RPM, SATA, HDD 4 TB, 3.5-inch, 7200 RPM, Enterprise HDD 8 TB, 3.5-inch, 7200 RPM, Enterprise HDD
VIDEO CARD	**NVIDIA:** Dual NVIDIA® RTX™ A400, 4 GB GDDR6, 4 mDP to DP adapters Dual NVIDIA® RTX™ A1000, 8 GB GDDR6, 4 mDP to DP adapters Dual NVIDIA® RTX™ PRO 2000 Blackwell Workstation Edition (70W) 16GB GDDR7, 4 mDP to DP NVIDIA® RTX™ A400, 4 GB GDDR6 NVIDIA® RTX™ A1000, 8 GB GDDR6 NVIDIA® RTX™ 2000 Ada, 16 GB GDDR6 NVIDIA® RTX™ 4000 Ada, 20 GB GDDR6 NVIDIA® RTX™ 4500 Ada, 24 GB GDDR6 NVIDIA® RTX™ 5000 Ada, 32 GB GDDR6 NVIDIA® RTX™ 6000 Ada, 48 GB GDDR6 NVIDIA® RTX™ PRO 2000 Blackwell Workstation Edition (70W) 16GB GDDR7 NVIDIA® RTX™ PRO 4000 Blackwell Workstation Edition (145W) 24GB GDDR7 NVIDIA® RTX™ PRO 4500 Blackwell Workstation Edition (200W) 32GB GDDR7 NVIDIA® RTX™ PRO 5000 Blackwell Workstation Edition (300W) 48GB GDDR7 NVIDIA® RTX™ PRO 6000 Blackwell Max-Q Workstation Edition (300W), 96GB GDDR7 NVIDIA® RTX™ PRO 6000 Blackwell Workstation Edition (600W), 96GB GDDR7 **AMD:** AMD Radeon™ Pro W6400, 4 GB GDDR6 AMD Radeon™ Pro W7500, 8 GB GDDR6 AMD Radeon™ Pro W7600, 8 GB GDDR6
DISPLAY	N/A
CASE COLOR	Dell Standard Black
PRODUCTIVITY SW[1]	Microsoft Office 30-day Trial Microsoft Office Home and Business 2021 Microsoft Office Professional 2021 Dell Optimizer for Precision Premier Color Dell Support Assist (Exaclibur) DDRE (Dell Developed Recovery Environment) Intel WiFi Direct Dell Support Center Teradici Soft Host (Cloud) and Client Validation (CAS+)

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER	Dell Pro Max Tower T2, FCT2250
SECURITY SW	McAfee® Small Business Security 30-day Trial McAfee® Small Business Security 12-month Subscription McAfee® Small Business Security 36-month Subscription Security software per software functional plan/cycle list Dell Data Protection | Personal Edition (DDP | E PE) or Dell Encryption Personal (Future Name) Dell Data Protection | Enterprise Edition (DDP | E EE) or Dell Encryption Enterprise (Future Name) Dell Data Protection | External Media Edition (DDP | E EME) or Dell Encryption External Media (Future Name) Data Leakage Protection (DLP) or Dell Data Guardian (new name) Dell Data Protection | Bitlocker Manager (DDP | BLM) VMWare Airwatch Dell Data Protection | Endpoint Security Suite or Dell Endpoint Security Suite Pro Dell Data Protection | Endpoint Security Suite Enterprise or Dell Endpoint Security Suite Enterprise Mozy (Cloud Backup) Dell Threat Defense RSA SecureID RSA NetWitness Endpoint Absolute Data and Device Security D-Pedigree (Secure Supply Chain Functionality) Microsoft Windows Bitlocker Manager Support for Encryption SED HDD's (Opal FIPS and non FIPS, SATA, PCIe) Support eDRIVE Storage including RAID Support UEFI-Preboot Authentication (PBA) solution for Windows 10 Local HDD data wipe via BIOS ("Secure Erase") BIOS Administrative Password BIOS Password BIOS HDD password option (default off) Windows 10 Device Guard and Credential Guard BIOS Data Port On/Off - Data Port disablement Intel Secure Boot (TXT + TPM) - Launch control policy Intel's Identity Protection (IPT) Intel Guard Technologies & Secure Key Secure update of pre-boot password(s) via remote BIOS update
WARRANTY[9,10]	1Y Basic Hardware Warranty Service with Onsite Service after Remote Diagnosis 2Y Basic Warranty Extension 3Y Basic Warranty Extension 4Y Basic Warranty Extension 5Y Basic Warranty Extension 1Y ProSupport with Next Business Day Onsite service 2Y ProSupport with Next Business Day Onsite service 3Y ProSupport with Next Business Day Onsite service 4Y ProSupport with Next Business Day Onsite service 5Y ProSupport with Next Business Day Onsite service 1Y ProSupport Plus for Client with Next Business Day Onsite service 2Y ProSupport Plus for Client with Next Business Day Onsite service 3Y ProSupport Plus for Client with Next Business Day Onsite service 4Y ProSupport Plus for Client with Next Business Day Onsite service 5Y ProSupport Plus for Client with Next Business Day Onsite service
ACCIDENTAL DAMAGE SERVICES	1-year Accidental Damage Service 2-year Accidental Damage Service 3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service
KEYBOARD	N/A
PORTS	**Front:** 1 USB 3.2 Gen 1 (5Gbps) port 1 USB 3.2 Gen 1 (5Gbps) port with PowerShare 1 USB 3.2 Gen 2 (10Gbps) Type-C port 1 USB 3.2 Gen 2x2 (20Gbps) Type-C port with PowerShare 1 Global headset jack 1 SD 7.0 Express-card slot (Optional) **Rear:** 2 USB 2.0 (480Mbps) ports with SmartPower 2 USB 3.2 Gen 2 (10Gbps) ports 1 USB 3.2 Gen 2x2 (20Gbps) Type-C port 1 RJ45 (1GbE) Ethernet port 2 DisplayPort 1.4a HBR3 ports 1 Optional port (TBT4 (40Gbps) + USB-C (10Gbps) data , DP alt-mode Type-C (10Gbps), HDMI 2.1, DP 2.1, 5Gbe LAN, 2x USB-A 3.2 (10Gbps), VGA, LC Fiber optic port) 1 Thunderbolt Port
OPTICAL DRIVE	8x DVD-ROM 9.5mm optical drive 8x DVD+/-RW 9.5mm optical drive Integrated Smart Card Reader with Contact and Contactless Support (CAC/PIV)
SLOTS	3 SATA 3.5 inch HDD and 1 SATA ODD 2 M.2 2230/2280 PCIe Gen4 slots 1 M.2 2230/2280 PCIe Gen5 slot 1 PEG full-height Gen5 PCIe x16 slot 1 full-height, half-length Gen3 x4 PCIe closed-end slot 1 full-height, full-length Gen4 x4 PCIe open-end slot 1 full-height, full-length Gen3 x4 PCIe open-end slot

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER	Dell Pro Max Tower T2, FCT2250
DIMENSIONS	**US** Height: 15.24 in. (387.00 mm) Width: 7.40 in. (187.70 mm) Depth: 17.24 in. (438.00 mm) Weight: Maximum: 50.70 lbs. (23 kg) Minimum: 18 lbs. (8.17 kg) **Rest of the world** Height: 387.00 mm (15.24 in.) Width: 187.70 mm (7.40 in.) Depth: 438.00 mm (17.24 in.) Weight: Maximum: 23 kg (50.70 lbs.) Minimum: 8.17 kg (18 lbs.)
CAMERA	N/A
AUDIO N SPEAKERS[1]	Stereo speakers with Waves MaxxAudio® 14 - Realtek ALC3204 Internal speakers
CHASSIS	Full-size tower
WIRELESS	Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MIMO, Bluetooth 5.4 wireless card Qualcomm® Wi-Fi 7 DBS WCN7851, 2x2, 802.11be, MIMO, Bluetooth 5.4 wireless card
PRIMARY BATTERY	N/A
POWER	**Power supplies** 360W internal power supply unit (80PLUS Platinum Certified) 500W internal power supply unit (80PLUS Platinum Certified) 750W internal power supply (80PLUS Platinum Certified) 1500W internal power supply unit (80PLUS Platinum Certified)
REGULATORY [8,12]	Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Responsible Business Alliance Policy
CHIPSET	Intel® W880
HARDWARE SECURITY	1 Kensington security-cable slot 1 Padlock loop 1 Lockable Cable Cover (optional) 1 Lockable Bezel and Key for Front Accessible SATA HDD (optional) Chassis intrusion switch Trusted Platform Module TPM 2.0 Intel Integrated TPM
RECOMMENDED ACCESSORIES	**Mouse:** Dell Pro Premium Collaboration Keyboard and Mouse - KM900 **Audio Headsets:** Dell Slim Soundbar - SB521A Dell Pro Plus Wireless ANC Headset - WL5024 Dell Speakerphone - SP3022 **Display:** Dell Pro 27 Plus Monitor - P2725H **Keyboards:** Dell Pro Plus Keyboard and Mouse - KM7321W **Webcam:** Dell Pro Webcam - WB5023
SYSTEM MANAGEMENT	Intel vPro® Intel vPro® over wireless Intel Standard Manageability (ISM) No OOB Management / ME Disabled DASH (through AMT and ISM) OOB Diags Error Code Push Dell Command | Integration Suite for SCCM (DCIS) Dell Command | Intel® vPro® Out of Band (DCIV) Dell Command | Monitor (DCM) - Asset Inventory and Alerts Management - BIOS Configuration via Dell Command | Configure and Dell Command | PowerShell Provider - AMT Configuration
CONFIGURATION SERVICES	Factory image load BIOS customization Hardware customization Asset Tagging and Reporting
ADD-IN CARDS	Intel® Ethernet Network Adapter x710-T2L GbE NIC Card (Base-T) Intel® Ethernet Converged Network Adapter X710-DA2 GbE NIC Card (Optical, requires SFP+ transceivers) Serial PCIe card WLAN External Antenna AIC Zoom2 Gen4 card

Legal disclaimers

Page 4

1. Based on internal analysis, January 2025. Percentage is based on system plastic weight. Post-consumer recycled plastic: 41.8% , Closed Loop ITE derived plastic: 4.9%. Recycled ocean-bound plastic:13% in the fan-housing
2. Contains up to 56.7% recycled content and up to 57/9% renewable materials. Renewable materials in the form of sustainably forested materials. Percentages may vary slightly by region [and formfactor]. Excludes optional items added to order and included
3. Based on internal analysis, December 2024.
   EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country

Page 5

1. Based on Dell internal analysis, October 2024. Applicable to PCs on Intel processors. Not all features available with all PCs. Additional purchase required for some features. Validated by Principled Technologies. A comparison of security features, April 2024.
2. Dell publishes a device drivers and downloads release schedule. Source: Source: Based on internal analysis, May 2023. When comparing publicly available device drivers and downloads release schedules published by the Top 5 PC vendors, as of May 2023.
3. Dell performs integrated validation of all driver and BIOS modules in an update. Source: Based on Dell internal analysis, May 2023, of integrated validation approaches of Top 5 PC vendors, for driver and BIOS modules in an update, by currently shipping and future-state product system images.
4. Capabilities of Dell Update Processes, Dell Management Portal and Dell Manageability Solutions capabilities and integrations with 3rd Party Management Solutions, with competitor update processes, partner portal capabilities in Microsoft Intune systems management solution capabilities and integrations with 3rd party management solutions. 3rd Party Management Solutions - Microsoft Intune, Workspace ONE, are separate purchases. Intel vPro, to support out-of-band systems management, is an additional system configuration upgrade; and Dell has the industry's first:
   a. Based on Dell internal analysis - October 2024. Based on Dell Management Portal capabilities in Microsoft Intune compared to competitor Partner Portal capabilities in Microsoft Intune.
   b. Dell Command | Endpoint Configure for Microsoft Intune - the industry's first Binary Large Object (BLOB) package-based solution, for securely configuring & managing endpoints, using Microsoft Intune. Disclaimer: Industry's first device manageability solution to use a Binary Large Object (BLOB) package, recognized by Microsoft Intune, for secure endpoint configuration and management.
   c. Dell Command | Intel vPro Out of Band– the industry's first hardware OEM systems management solution to integrate with Intel vPro - for remote management of systems, regardless of power-state. Disclaimer: Based on Dell internal analysis, November 2023.
5. Dell Client Device Manager application availability planned for March 2025.

Page 6

1. Based on Dell internal analysis, April 2023. Payment solutions provided to qualified commercial customers by Dell Financial Services through Dell Technologies group companies or authorized business partners. Solutions may be changed without notice and are subject to product availability, eligibility, credit approval, acceptable documentation and local applicable law. Some solutions, including end of term purchase options, may not be available or may vary by country. Within the EU, the EEA, the UK and Switzerland certain solutions are provided by Dell Bank International d.a.c. and its local branches, including by Dell Bank International d.a.c Sucursal en España in Spain. Dell Bank International d.a.c. is regulated by the Central Bank of Ireland. Dell Technologies and Dell logos are trademarks of Dell Inc.
2. ProDeploy Client Suite for PCs configures 30K PC daily. Source: Based on Dell internal analysis, April 2023.
3. ProSupport Suite for PCs saves 641 hours of IT admin time per year* (on recurring tasks for a 1,000-device fleet. *vs. a manual approach based on data extrapolated from hands-on testing). Source: Based on a Principled Technologies test report, "Simplify PC management and save IT admin time with an automated support service," dated September 2023. Testing commissioned by Dell, conducted in the United States. Actual results will vary. Full report: https://facts.pt/PELu7lm
4. Based on a Forrester Total Economic Impact™ Study Commissioned by Dell Technologies and AMD, "The Total Economic Impact™ Of Dell Premier," February 2024. Full study https://www.delltechnologies.com/asset/en-us/solutions/premier-solutions/industry-market/tei-dell-premier-solutions.pdf
5. Dell Technologies has recovered 2.8 billion pounds of electronics since 2007. Source: Based on Dell internal analysis of publicly available data, April 2023.
6. Payment solutions provided to qualified commercial customers by Dell Financial Services through Dell Technologies group companies or authorized business partners. Solutions may be changed without notice and are subject to product availability, eligibility, credit approval, acceptable documentation and local applicable law. Some solutions, including end of term purchase options, may not be available or may vary by country. Within the EU, the EEA, the UK and Switzerland certain solutions are provided by Dell Bank International d.a.c. and in Spain by Dell Bank International d.a.c Sucursal en España. Dell Bank International d.a.c. is regulated by the Central Bank of Ireland. Dell Technologies and Dell logos are trademarks of Dell Inc.

Page 7-9

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Owner's Manual published on www.dell.com/support.
2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality.
5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
6. TPM is available in selected regions.
7. Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com
8. Please refer to www.epeat.net for specific country registration rating and participation.
9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
10. Onsite service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
12. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/19.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information. Copyright© 2026 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC and Dell EMC are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.